EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L26	6	(("5345213") or ("6906392") or ("6787047")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 23:58
L27	6	("20040021184" "5464966" "5659127" "6265222").PN. OR ("6906392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58
L28	39	("4198850" "4198851" "4224280" "4343768" "4345985" "4358951" "4481499" "4580439" "4596975" "4656863" "4706493" "4792433" "4885929" "4928513" "5012671" "5013396" "5159413" "5293041" "5367283" "5447054"). PN. OR ("5659127"). URPN.	US-PGPUB; USPAT; USOCR	OR		2008/09/18 23:58
L29	6	(("4654624") or ("5012671") or ("5777207")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 23:58
L30	62	("4007435" "4313338" "4399424" "4443781" "4453151" "4469626" "4580439" "4583070" "4638443" "4652849" "4731226" "4792433" "4822465" "4885929" "4911892" "5296196" "5457333").PN. OR ("4654624" "5012671" "5777207").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58
L31	5267	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58

L32	197	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L33	146	L31 and (adhesion near promot\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L34	89	L31 and (contact near hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L35	33	("4225410" "5003812" "5187084" "5287752" "5302935" "5345213"). PN. OR ("5605612"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58
L36	536	L26 or L27 or L28 or L29 or L30 or L32 or L33 or L34 or L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L37	6	(("5345213") or ("6906392") or ("6787047")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 23:58
L38	6	("20040021184" "5464966" "5659127" "6265222").PN. OR ("6906392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58
L39	39	("4198850" "4198851" "4224280" "4343768" "4345985" "4358951" "4481499" "4580439" "4596975" "4656863" "4706493" "4792433" "4885929" "4928513" "5012671" "5013396" "5159413" "5293041" "5367283" "5447054"). PN. OR ("5659127"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58

L40	6	(("4654624") or ("5012671") or ("5777207")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 23:58
L41	62	("4007435" "4313338" "4399424" "4443781" "4453151" "4469626" "4580439" "4583070" "4638443" "4652849" "4731226" "4792433" "4822465" "4885929" "4911892" "5296196" "5457333").PN. OR ("4654624" "5012671" "5777207").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58
L42	5267	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L43	197	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L44	146	L42 and (adhesion near promot\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L45	89	L42 and (contact near hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L46	33	("4225410" "5003812" "5187084" "5287752" "5302935" "5345213"). PN. OR ("5605612"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 23:58
L47	536	L37 or L38 or L39 or L40 or L41 or L43 or L44 or L45 or L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58

L48	1361	(73/31.05).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 23:58
L49	153	(L36 or L47 or L48) and (stoichiometric or substoichiometric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
L50	57	(L36 or L47 or L48) and ((passivation or oxide) same (stoichiometric or sub-stoichiometric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 23:58
S2	6	(("0678047") or ("5345213") or ("20030039586")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 10:55
S3	6	(("6787047") or ("5345213") or ("20030039586")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 10:55
S4	2	("20070062812").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/16 10:56
S5	1	2005-181869.NRAN.	DERWENT	OR	ON	2008/09/16 10:57
S6	6	(("5345213") or ("6906392") or ("6787047")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 17:34
S7	6	("20040021184" "5464966" "5659127" "6265222").PN. OR ("6906392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 17:34

S8	·····39	("4198850" "4198851" "4224280" "4343768" "4345985" "4358951" "4481499" "4580439" "4596975" "4656863" "4706493" "4792433" "4885929" "4928513" "5012671" "5013396" "5159413" "5293041" "5367283" "5447054"). PN. OR ("5659127"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 17:35
S9	4	(("20030039586") or ("20080028580")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 17:36
S10	4	(("20030039586") or ("20050028580")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 17:36
S11	6	(("4654624") or ("5012671") or ("5777207")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 17:37
S12	62	("4007435" "4313338" "4399424" "4443781" "4453151" "4469626" "4580439" "4583070" "4638443" "4652849" "4731226" "4792433" "4822465" "4885929" "4911892" "5296196" "5457333").PN. OR ("4654624" "5012671" "5777207").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 17:37
S13	94	S8 or S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:38
S14	5259	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:46

S15	197	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:46
S16	145	S14 and (adhesion near promot\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 17:51
S17	89	S14 and (contact near hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 18:47
S18	33	("4225410" "5003812" "5187084" "5287752" "5302935" "5345213"). PN. OR ("5605612"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 18:54
S19	588	((73/25.01) or (73/25.05) or (73/25.04)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 18:56
S20	535	S6 or S7 or S8 or S11 or S12 or S15 or S16 or S17 or S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 18:58
S21	580	S19 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 18:59
S22	1360	(73/31.05).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 19:08

S23	1262	S22 not (S20 or S21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 19:08
S24	578	(73/31.06).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 20:28
S25	6	(("5345213") or ("6906392") or ("6787047")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 20:28
S26	6	("20040021184" "5464966" "5659127" "6265222").PN. OR ("6906392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 20:28
\$27	39	("4198850" "4198851" "4224280" "4343768" "4345985" "4358951" "4481499" "4580439" "4596975" "4656863" "4706493" "4792433" "4885929" "4928513" "5012671" "5013396" "5159413" "5293041" "5367283" "5447054"). PN. OR ("5659127"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 20:28
S28	6	(("4654624") or ("5012671") or ("5777207")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 20:28
\$29	62	("4007435" "4313338" "4399424" "4443781" "4453151" "4469626" "4580439" "4583070" "4638443" "4652849" "4731226" "4792433" "4822465" "4885929" "4911892" "5296196" "5457333").PN. OR ("4654624" "5012671" "5777207").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 20:28

000	F050	}///	LIC DOD! ID		ion!	0000/00/47
S30	5259	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28
S31	197	(((oxygen or gas) adj sensor) and (heating or heater) and (electrode or resistance or capacitance) and oxide).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28
S32	145	S30 and (adhesion near promot\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28
S33	89	S30 and (contact near hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28
S34	33	("4225410" "5003812" "5187084" "5287752" "5302935" "5345213"). PN. OR ("5605612"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/17 20:28
S 35	588	((73/25.01) or (73/25.05) or (73/25.04)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 20:28
S36	535	S25 or S26 or S27 or S28 or S29 or S31 or S32 or S33 or S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28
S37	580	S35 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28

S38	1360	(73/31.05).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/17 20:28
S39	456	S24 not (S36 or S37 or S38)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:28

9/19/08 12:52:32 AM

C:\ Documents and Settings\ MCygan\ My Documents\ EAST\ Workspaces\ 10565991.wsp